


Hex Length Table		
FCXXXX	Length (L)	
FC4571	1/4	
FC4572	5/16	
FC4573	3/8	
FC4574	7/16	
FC4575	1/2	
FC4576	9/16	
FC4577	5/8	
FC4578	11/16	
FC4579	3/4	
FC4580	13/16	
FC4581	7/8	
FC4582	15/16	
FC4583	1	
FC4584	1-1/16	
FC4585	1-1/8	
FC4586	1-3/16	
FC4587	1-1/4	
FC4588	1-5/16	
FC4589	1-3/8	
FC4590	1-7/16	
FC4591	1-1/2	
FC4592	1-9/16	
FC4593	1-5/8	
FC4594	1-11/16	
FC4595	1-3/4	
FC4596	1-13/16	
FC4597	1-7/8	
FC4598	1-15/16	
FC4599	2	
FC4600	2-1/8	
FC4601	2-1/4	
FC4602	2-3/8	
FC4603	2-1/2	
FC4604	2-5/8	
FC4605	2-3/4	
FC4606	2-7/8	
FC4607	3	
FC4608	3-1/4	
FC4609	3-1/2	
FC4610	3-3/4	
FC4611	4	
FC4612	4-1/4	
FC4613	4-1/2	
FC4614	4-3/4	
FC4615	5	
FC4616	5-1/4	
FC4617	5-1/2	
FC4618	5-3/4	
FC4619	6	

5/16 Hex Male-Female Standoff



Create a part number:

Length	Thread	Material	Finish
FCXXXX	XXX	XX	XX
_____ - _____ - _____ - _____			

Thread			
Short lengths, 'A' tapped to maximum depth			
Thread Code (XXX)	Depth (A)	Length (B)	
440	1/4	3/16	
632	3/8	1/4	
832	7/16	3/8	
1032	1/2	3/8	

Material		
Material Code (XX)		
A	Aluminum	
B	Brass	
S	Steel	
SS	Stainless Steel	
N	Nylon	

Tolerances Unless otherwise Specified
 .xxx +/- .005
 .xx +/- .010
 Angular +/- 1 Degree
 Linear +/- .005
Break all sharp edges

Compatible Finish		
A, B, S, SS	0 - Plain	
B, S	5 - Nickel Plate (QQ-N-290)	
A	6 - Iridite #14 Gold (MIL-C-5541E)	
A	7 - Iridite Clear (MIL-C-5541E)	
A	9 - Alodine 1200	
B, S	12 - Zinc Clear (ASTM-B-633)	
B, S	16 - Electro Tin (MIL-T-10727 TYPE 1)	
SS	20 - Passivation (MIL-F-14072D)	
A	22 - Clear Anodize (MIL-A-8625-TYPE2) (Sulphuric) Hot Water Seal (Clear)	
A	24 - Black Anodize (MIL-A-8625)	
B, S, SS	26 - Black Oxide	
B, S	28 - Zinc Yellow (ASTM-B-633)	



5046 W Linebaugh Ave
 Tampa, FL, 33624
 sales@mbs-standoffs.com
 Mbs-Standoffs.com
 P: (813) 938-6025
 F: (813) 425-9007

Source Control Drawing:
 To be produced by
 Mbs-Standoffs

This document is the property of Mbs-Standoffs Inc. and shall not be reproduced, distributed, or used as a basis for manufacturing without written permission from Mbs-Standoffs Inc.